


- REFLECTED CEILING PLAN GENERAL NOTES**
- ALL CEILINGS ARE 9'-0" UNO.
  - REFER TO 1-100 FOR ACOUSTICAL CEILING TYPE FOR EACH SPACE.
  - SEE A-002 FOR ADDITIONAL REFLECTED CEILING PLAN NOTES & SEISMIC REQUIREMENTS.
  - REFER TO A-122 FOR PATIENT LIFT TRACK LAYOUT. COORDINATE WITH LIGHTS, DIFFUSERS, CURTAIN TRACK, ETC. AS REQUIRED.
  - ALL SCONCES SHALL BE CENTERED ALONG WALL AS POSSIBLE. COORDINATE WITH ARCHITECT/OWNER/COR FOR LOCATIONS OF ANY ARTWORK, OR BULLETIN BOARDS LOCATED ON WALL.
  - HAC SE544 SHALL HAVE 9'-0" FINISHED CEILING.
  - PROVIDE 2'x2' ACCESS PANELS IN ALL GYPSUM BOARD CEILINGS AND BULKHEADS AS REQUIRED TO ACCESS EQUIPMENT, LIGHTS, CHASES, ETC. COORDINATE WITH M,E,P,FP.
  - REFER TO A501 FOR CEILING DETAILS.
  - REPLACE ANY DAMAGED CEILING GRID OR TILES DURING INSTALLATION OF NEW POWER CONDUIT FROM WARD 5 EAST ELECTRICAL ROOM TO EXISTING 1A523A.

- REFLECTED CEILING PLAN KEY NOTES**
- REFER TO CASEWORK SECTION DETAIL FOR LED LIGHT LOCATION.
  - COORDINATE HEIGHT OF BULKHEAD W/ CASEWORK AND/OR EQUIPMENT.
  - PATCH CEILING TILE & GRID AS REQUIRED FOR TIE-IN OF NEW BULKHEAD, COORDINATE W/MECHANICAL TILE & GRID TO MATCH EXISTING IN KIND.

- WALL LEGEND**
- EXISTING TO REMAIN
  - NEW WALL
  - SMOKE RESISTIVE, POSITIVE LATCHING
  - SMOKE PARTITION (HAZARDOUS), 1/2 HR. LBL. CLOSER
  - SMOKE BARRIER (1 HOUR FIRE RESISTANCE RATED), 1/2 HR. LBL. HOLD OPENS
  - 1-HOUR FIRE RESISTANCE RATED BARRIER (HAZ.), 1/2 HR. LBL. CLOSER
  - EXISTING TO REMAIN 2-HOUR FIRE RATED

- REFLECTED CEILING PLAN LEGEND**
- CT CUBICLE CURTAIN TRACK (SPECIFICATION #102123)
  - TA13 SHOWER CURTAIN ROD
  - GWB BULKHEAD/GWB CEILING/GWB SOFFIT
  - MECHANICAL DIFFUSER
  - MECHANICAL RETURN AIR
  - 24" x 24" FLUORESCENT FIXTURE
  - 24" x 48" FLUORESCENT FIXTURE
  - FLUORESCENT FIXTURE
  - FLUORESCENT FIXTURE
  - INCANDESCENT FIXTURE
  - EXP. EXPOSED TO CONCRETE DECK ABOVE
  - UC UNDER CABINET LIGHT (LED)
  - OS OVERHEAD SPEAKER
  - LIFT TRACK



100% SUBMITTAL  
 BID SET -  
 CONSTRUCTION  
 DOCUMENTS  
 DATE: DECEMBER, 21 2012

**FIFTH FLOOR - WARD EAST - REFLECTED CEILING PLAN**  
 SCALE: 1/4"=1'-0" 1/4"=1'-0"

A ONE AND ONE-HALF INCHES = ONE FOOT  
 B ONE AND ONE-HALF INCHES = ONE FOOT  
 C ONE INCH = ONE FOOT  
 D THREE-QUARTERS INCH = ONE FOOT  
 E ONE-HALF INCH = ONE FOOT  
 F THREE-FOURTHS INCH = ONE FOOT  
 G ONE-FOURTH INCH = ONE FOOT

BY	REVISIONS	DATE

**LINDBERGH & ASSOCIATES, LLC**  
 2170 Ashley Phosphate Road - Suite 504  
 Charleston, South Carolina, 29406  
 Phone: (843)553-6670 Fax: (843)553-0755

**CONFIDENTIAL** THESE DRAWINGS MUST BE RETURNED TO FACILITIES MANAGEMENT SERVICE, PROJECT SECTION, UPON COMPLETION, OR FINAL USE BY THE CONTRACTOR FOR BIDDING PURPOSES.

**ASBESTOS WARNING:** ASBESTOS CONTAINING BUILDING MATERIALS (ACBM) ARE PRESENT THROUGHOUT THE FACILITY. IF CONTRACTORS FIND ACBM, OR SUSPECT FINDING ACBM, THEY SHALL IMMEDIATELY STOP WORK AND CONTACT THE PROJECT COR.

**SCALING NOTES:** FULL SIZE V.A. "T" SHEETS (SCALE AS INDICATED) AND HALF SIZE V.A. "D" SHEETS (1/2 THE SCALE INDICATED LETTER SIZE DRAWINGS ARE NOT TO SCALE).

**GENERAL NOTE:** CONTRACTORS AND ARCHITECT/ENGINEERING FIRMS ARE RESPONSIBLE FOR THE FIELD VERIFICATION OF ALL EXISTING CONDITIONS.

Project Title  
**RENOVATE  
 WARD 5 EAST**

Drawing Title  
**FIFTH FLOOR - WARD EAST  
 REFLECTED CEILING PLAN**

Date  
 12/21/12

Project No.  
 637-11-119

Building Number  
 47

Checked  
 JSA

Drawn  
 NEK

DRAWING NO.  
 A-121

Location  
 ASHEVILLE, NC

Dwg 19 of 78